

PTC/SB/08a/b (08-03)
Approved for use through 07/31/2008. OMB 0851-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

spond to a collection of information unless it contains a valid OMB control number. Complete if Known Substitute for form 1449A/B/PTO Application Number 10/796,111 INFORMATION DISCLOSURE March 20, 2004 Filing Date STATEMENT BY APPLICANT First Named Inventor Dean A. Klein Arl Unit 2818 (Use as many sheets as necessary) Not Yet Assigned Examiner Name 1 M4065.0959/P959 Sheet of Attorney Docket Number

	U.S. PATENT DOCUMENTS							
Examiner	Cite	Document Number	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where			
Initials*	No.1	Number-Kind Code ² (if known)	MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Relevant Figures Appear			
PL.	AA	US-6,673,648	01/06/2004	Lowrey				

		FOREIG	GN PATENT	DOCUMENTS		
Examiner	Cite	Foreign Patent Document	Publication	Name of Patentee or	Pages, Columns, Lines,	
Initiats*	No.1	Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	Date MM-DD-YYYY	Applicant of Cited Document	Where Relevant Passages or Relevant Figures Appear	To
1						_

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English tanguage Translation is attached.

NON PATENT LITERATURE DOCUMENTS							
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²				

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Examisu: 440 M. Luy

Pate: 10/28/04

BEST AVAILABLE COPY

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.



PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Complete if Known Substitute for form 1449A/PTO 10/796,111 Application Number INFORMATION DISCLOSURE Filing Date March 10, 2004 STATEMENT BY APPLICANT First Named Inventor Dean A. Klein Art Unit 2818 (use as many sheets as necessary) Not Yet Assigned Examiner Name M4065.0959/P0959 Sheet 1 of 13 Attorney Docket Number

U.S. PATENT DOCUMENTS							
Examiner nitials*	Cite No.1	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear		
آط	AA	2002/0000666	1/2002	Kozicki et al.			
1	AB	2002/0072188	6/2002	Gilton			
)	AC	2002/0106849	08/2002	Moore			
$\neg \neg$	AD	2002/0123169	09/2002	Moore et al.			
	AE	2002/0123170	09/2002	Moore et al.			
	AF	2002/0123248	09/2002	Moore et al.			
	AG	2002/0127886	09/2002	Moore et al.			
	AH	2002/0132417	09/2002	Li			
	AI	2002/0160551	10/2002	Harshfield			
$\neg \neg$	AJ	2002/0163828	11/2002	Krieger et al.	·		
T	AK	2002/0168852	11/2002	Harshfield et al.			
T	AL	2002/0190289	12/2002	Harshfield et al.			
	AM	2003/0001229	01/2003	Moore et al.			
	AN	2003/0027416	02/2003	Moore			
	AO	2003/0032254	02/2003	Gilton			
	AP	2003/0038301	02/2003	Moore			
	AQ	2003/0043631	03/2003	Gilton et al.			
$I^{}$	AR	2003/0045049	03/2003	Campbell et al.			
]	AS	2003/0045054	03/2003	Campbell et al.			
	AT	2003/0047765	03/2003	Campbell			
	AU	2003/0047772	03/2003	Li			
	AV	2003/0047773	03/2003	Li			
	AW	2003/0049912	03/2003	Campbell et al.			
	AX	2003/0068861	04/2003	Li			
	AY	2003/0068862	04/2003	Li			
	AZ	2003/0095426	05/2003	Hush et al.			
	AA1	2003/0096497	05/2003	Moore et al.			
	AB1	2003/0107105	06/2003	Kozicki			
	AC1	2003/0117831	06/2003	Hush			
	AD1	2003/0128612	07/2003	Moore et al.			
	AE1	2003/0137869	07/2003	Kozicki			
1	AF1	2003/0143782	07/2003	Gilton et al.			
		2003/0155589	08/2003	Campbell et al.			
1	AH1	2003/0155606	08/2003	Campbell et al.			
	Al1	2003/0156447	08/2003	Kozicki			
	AJ1	2003/0156463	08/2003	Casper et al.			
		2003/0209728	11/2003	Kozicki et al			
1_1	AL1	2003/0209971	11/2003	Kozicki et al			
1		2003/0210564	11/2003	Kozicki et al			
1_1		3,622,319	11/1971	Sharp			
-	_	3,743,847	7/1973	Boland			
		4,269,935	5/1981	Masters et al.			
4		4,312,938		Drexler, et al.			
Y	AR1	4,316,946	1/1982	Masters, et al.	1		

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	stitute for form 1449A/		, no persons are requir	ed to res	espond to a collection of information unless it contains a valid OMB control number. Complete If Known			
					Application Number	10/796,11	1	
	IFORMATION				Filing Date	March 10	, 2004	
S	TATEMEN'	T BY A	APPLICAN	Γ	First Named Inventor	Dean A. K	Klein	
(use as many sheets as necessary)				Art Unit	2818	· · · · · · · ·		
	taso as men	y 3110013 d3	necessary)		Examiner Name	Not Yet A	ssigned	
Sheet	2	of	. 13		Attorney Docket Number	} · · · · · · · · · · · · · · · · · · ·	059/P0959	
	TAC4 14 220 40	4	12/4092	IVaah	ikawa et al.	<u> </u>		
1-P-	AS1 4,320,19 AT1 4,405,710		3/1982 9/1983	1	subramanyam et al.			
	AU1 4,419,42		12/1983	Wich	elhaus, et al.	···		
	AV1 4,499,55		2/1985		berg et al.	0		
	AW1 4,671,61		06/1987	Wu e				
	AX1 4,795,65		1/1989		lgoni et al.			
	AY1 4,800,520		01/1989	Lewi				
	AZ1 4,847,67	4	7/1989		et al.			
	AA2 5,177,56	7	1/1993		y et al.			
	AB2 5,219,78		6/1993		nathey et al.			
	AC2 5,238,86		8/1993		ck et al.			
	AD2 5,272,35		12/1993		subramanian et al.			
\vdash	AE2 5,314,77		5/1994	Kozi				
\vdash	AF2 5,315,13		5/1994		shimoto et al.			
\vdash	AG2 5,350,48		9/1994		ner et al.			
 	AH2 5,360,98		11/1994		n et al.			
\vdash	AI2 5,500,53		3/1996		ki et al.	_	· · · · · · · · · · · · · · · · · · ·	
	AJ2 5,512,320 AK2 5,512,77		4/1996	Wolf	imura et al.	_ -		
	AL2 5,726,08		3/1998	Taka				
	AM2 5,751,01		· 5/1998	+	tenholme et al.	-		
 	AN2 5,789,27		8/1998		rik et al.		-	
	AO2 5,814,52		9/1998	+	Wolstenholme et al			
	AP2 5,818,749		10/1998	+	hfield			
	AQ2 5,841,150		11/1998	Gonz	alez et al.			
	AR2 5,846,889		12/1998	Harb	ison et al.			
	AS2 5,851,882		12/1998	Hars				
	AT2 5,869,843		2/1999		arshfield			
 -	AU2 5,920,788		7/1999	Rein				
	AV2 5,998,066		12/1999		et al.			
	AW2 6,031,287	<u>/</u>	2/2000	Hars				
\vdash	AX2 6,072,716		6/2000		oson et al.			
 -	AY2 6,077,729 AZ2 6,177,338		6/2000	Hars		<u>.</u>		
$\vdash \vdash$	AA3 6,117,33		9/2000	Liaw				
\vdash	AB3 6.143.604		11/2000		ng et al.			
-	AC3 6,236,059		5/2001		leinholme et al.			
	AD3 6,297,170		10/2001		lel et al.	-		
	AE3 6,300,684		10/2001		alez et al.			
	AF3 6,316,784		11/2001		rik et al.			
	AG3 6,329,606	5	12/2001	+	nan et al.			
	AH3 6,350,679		2/2002	McDa	niel et al.			
	AI3 6,376,284		4/2002		alez et al.			
$\vdash \vdash$	AJ3 6,388,324		5/2002		ki et al.			
 -	AK3 6,391,688		5/2002		alez et al.			
┝╌┼╌	AL3 6,414,376		7/2002		ur et al.			
 	AM3 6,418,049		7/2002		ki et al.			
	AN3 6,420,725		7/2002	Harsi				
	AO3 [6,423,628	<u> </u>	7/2002	Li et a	31			

1780852 v1; 125YK01!.DOC

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0851-0031
U. S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE cond to a collection of information unless it contains a valid OMB control number.

Subs	titute for form 1449A/PT	0			Complete if Known		
					Application Number	10/796,111	
	FORMATIO	-		_	Filing Date	March 10, 2004	
S	STATEMENT BY APPLICANT				First Named Inventor	Dean A. Klein	
	(use as many s	heets as	necessary)		Art Unit	2818	
					Examiner Name	Not Yet Assigned	
Sheet	eet 3 of · 13				Attorney Docket Number	M4065.0959/P0959	
- b1	AP3 6,440,837		8/2002	Harsi	nfield		
TC	AQ3 6,469,364 10/2002 Kozi				ki		

Γ_{λ}	1	AP3	6,440,837	8/2002	Harshfield	
T	_	AQ3	6,469,364	10/2002	Kozicki	
	i	AR3	6,473,332	10/2002	Ignatiev et al.	
			US 2004/0035401	2/2004	Ramachandran et al.	
			US 2003/0212724	11/2003	Ovshinsky et al.	-
	1		US 2003/0048744	3/2003	Ovshinsky et al.	
	t^-		US 2003/0212725	11/2003	Ovshinsky et al.	
	1		US RE 37,259E	7/2001	Ovshinsky	
	\top		US 3,271,591	9/1966	Ovshinsky	
	1		US 3,961,314	6/1976	Klose et al.	
	1		US 3,966,317	6/1976	Wacks et al.	
	1		US 3,983,542	11/1976	Ovshinsky	
	1		US 3,988,720	10/1976	Ovshinsky	
	T		US 4,177,474	12/1979	Ovshinsky	
	1		US 4,267,261	5/1981	Hallman et al.	
	_		US 4,597,162	7/1986	Johnson et al.	
			US 4,608,296	8/1986	Keem et al.	
			US 4,637,895	1/1987	Ovshinsky et al.	
			US 4,646,266	2/1987	Ovshinsky et al.	
			US 4,664,939	5/1987	Ovshinsky	
			US 4,668,968	5/1987	Ovshinsky et al.	
			US 4,670,763	6/1987	Ovshinsky et al.	
		AL4	US 4,673,957	6/1987	Ovshinsky et al.	
		AM4	US 4,678,679	7/1987	Ovshinsky	
			US 4,696,758	9/1987	Ovshinsky et al.	
			US 4,698,234	10/1987	Ovshinsky et al.	
			US 4,710,899	12/1987	Young et al.	
			US 4,728,406	3/1988	Banerjee et al.	
			US 4,737,379	4/1988	Hudgens et al.	-
			US 4,766,471	8/1988	Ovshinsky et al.	
			US 4,769,338	9/1988	Ovshinsky et al.	
			US 4,775,425	10/1988	Guha et al.	***************************************
		AV4	US 4,788,594	11/1988	Ovshinsky et al.	· · · · · · · · · · · · · · · · · · ·
		AW4	US 4,809,044	2/1989	Pryor et al.	
	\prod	AX4	US 4,818,717	4/1989	Johnson et al.	
	П		US 4,843,443	6/1989	Ovshinsky et al.	
	\Box	AZ4	US 4,845,533	7/1989	Pryor et al.	
	П		US 4,853,785	8/1989	Ovshinsky et al.	
			US 4,891,330	1/1990	Guha et al.	
			US 5,128,099	7/1992	Strand et al.	
	\Box	AD5	US 5,159,661	10/1992	Ovshinsky et al.	
			US 5,166,758	11/1992	Ovshinsky et al.	
		AF5	US 5,177,567	1/1993	Klersy et al.	
	\Box	AG5	US 5,296,716	3/1994	Ovshinsky et al.	
		AH5	US 5,335,219	8/1994	Ovshinsky et al.	
		AI5	US 5,359,205	10/1994	Ovshinsky	
	\Box			8/1994	Ovshinsky et al.	
-I			US 5,406,509	4/1995	Ovshinsky et al.	
$\mathbb{L}V$		AL5	US 5,414,271	5/1995	Ovshinsky et al.	
-						

1780852 v1; 125YK011.DOC

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0551-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO				spond to a collection of information unless it contains a valid OMB control number. Complete if Known				
					_	Application Number	10/796,11	11
				SCLOSURE		Filing Date	March 10	, 2004
S	TAT	EMEN	TBYA	PPLICANI	ſ	First Named Inventor	Dean A. k	(lein
	(use as many sheets as necessary)					Art Unit	2818	. ,
	(555 55 // 5755/5 5				Examiner Name	Not Yet A	ssigned	
Sheet		4	of	. 13		Attorney Docket Number	M4065.09	59/P0959
	IAM5	US 5,534	711	7/1996	Ovst	insky et al.	<u> </u>	
4		US 5.534		7/1996		insky et al.		
7	AO5	US 5,536	5,947	7/1996		y et al.		
	AP5	US 5,543	3,737	8/1996		insky		
		US 5,591		1/1997		insky et al.		
		US 5,596		1/1997		insky et al.		
		US 5,687		11/1997		insky		
		US 5,694		12/1997		insky et al.		
		US 5,714		2/1998		insky et al.		
		US 5,825		10/1998		atyj et al.		
-		US 5,912		6/1999		insky et al.		
$\vdash \!\!\! \vdash$		US 5,933		8/1999		y et al.		
 - 		US 6,011		1/2000		insky		
 		US 6,087		7/2000		insky et al.		
 		US 6,141		10/2000		insky et al.		
- 		US 6,339		1/2002		Chiang et al.		
⊢		US 6,404		6/2002		ery et al.		
		US 6,429 US 6,437		8/2002	Wick Xu	er		
\vdash		US 6,462		8/2002 10/2002				
		US 6,480		11/2002	Xu et al.			
		US 6,487		11/2002	Park	et al.	·	
\vdash		US 6,501		12/2002	Lowe			
\vdash		US 6,507		1/2003		ens et al.		
\vdash		US 6,511		1/2003		ens et al.		
<u> </u>		US 6,511		1/2003		ry et al.		
		US 6,512		1/2003	Lai	i y ocui.		
		US 6,514		2/2003	Xu et	al.		
		US 6,531		3/2003	GIII e			
	AP6	US 6,534	,781	3/2003	Denn			
	AQ6	US 6,545	,287	4/2003	Chia		,	
		US 6,545		4/2003		ry et al.		
		US 6,555		4/2003		ry et al.		
$oxedsymbol{oxed}$		US 6,563		5/2003		ry et al.		
\vdash		US 6,566		5/2003	Xu			
		US 6,567		5/2003		ry et al.		
 -		US 6,569		5/2003		ng et al.		
		US 6,570		5/2003	Lowe			
		US 6,576		6/2003	Lowe			
		US 6,586 US 6,589		7/2003	Lowe			
		US 6,589		7/2003 7/2003		on et al.		
		US 6,590		7/2003	Lowe			
		US 6,597		7/2003	Wick			ļ
		US 6,605		8/2003		ison et al.		
		US 6,613		9/2003		on et al.		
		US 6,621		9/2003		ig et al.		
47		US 6,625				ry et al.		
V	AI7	US 6,642			Xu	.,		
		· · · · · · · · · · · · · · · · · · ·		1				

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE and to a collection of information unless it contains a valid OAB control of the con

Under th	ne Paperwork Reduction	Act of 1995	5, no persons are requin	ed to res	spond to a collection of inform	nation unless it c	contains a valid OMB control number.
Subs	stitute for form 1449A/P	то				Complete if I	Known
l				_	Application Number 10/796,11		1 ·
		SCLOSUR		Filing Date	March 10	, 2004	
S	IAIEMEN	APPLICANT	First Named Inventor	Dean A. K	Klein		
ŀ	(use as many	sheets as	necessary)		Art Unit	2818	
	(des de man)		,		Examiner Name	Not Yet A	ssigned
Sheet	eet 5 of 13			Attorney Docket Number	M4065.09	059/P0959	
[ه	AJ7 US 6,646	297	11/2003	Denr	nison		
\Box	, AK7 US 6,649,928 11/2003		Dennison				
			Lowe	Lowery et al.			
	AM7 US 6,671	710	12/2003	Ovsh	ninsky et al.		<u> </u>
	AN7 US 6,673	700	1/2004	Denr	nison et al.		
	AO7 US 6,674	115	1/2004	Hudg	ens et al.		
	AP7 US 6,687	427	2/2004	Ram	alingam et al.		
	AQ7 US 6,690		2/2004	Pete	rson		
	AR7 US 6,696		2/2004	Denr	nison		
	AS7 US 6,687	153	2/2004	Lowe	ery		
	AT7 US 6,707		3/2004	Lowe	ery		
$\vdash V \vdash$	AU7 US 6,714,954 3/2004 Ovsl		Ovsh	insky et al.			
	 			 			
 	 			 	 		
	 			├	 -		
	 			 			
		_	!				L.,

	FOREIGN PATENT DOCUMENTS							
Examiner	Cite	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant			
Initials*	No.	Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	MM-DD-YYYY	Applicant of Cited Document	Passages or Relevant Figures Appear	70		
pl	BA	JP-56126916	10/1981	Akira et al.		\Box		
מי	ВВ	WO 97/48032	12/18/1997	Kozicki et al.		\Box		
J _D	BC	WO 99/28914	06/10/1999	Kozicki et al.				

Examiner Signature	PHO M. Lyu	Date Considered	10/28/04

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

¹ Applicant's unique citation designation number (optional). ² See attached Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901,04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. ⁸ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁸ Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.CMB 0851-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE and to a collection of information unless it contains a valid OMB control number.

Sı	bstitute for form 1449B	/PTO		Complete If Known		
				Application Number	10/618824 796-111	
11	VFORMATION	ON DIS	CLOSURE	Filing Date	July 14, 2003	
5	STATEMEN'	T BY A	PPLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
	(use as man	y sheets as no	acessary)	Examiner Name	Not Yet Assigned	
Sheet	6	6 of 13		Attorney Docket Number	M4065.1006/P1006-A	

Examiner	Cite	OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the	Т
nitials	No.1	item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
PL,	CA	Abdel-All, A.; Elshafie, A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge5As38Te57 chalcogenide glass, Vacuum 59 (2000) 845-853.	
1	СВ	Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189.	
	CC	Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220.	Ī
	CD	Afifi, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se75Ge25-xSbx, Appl. Phys. A 55 (1992) 167-169.	
	CE	Afifi,M.A.; Labib, H.H.; Fouad, S.S.; El-Shaziy, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe1-x, Egypt, J. Phys. 17 (1986) 335-342.	T
	CF	Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag2Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139.	
	CG	Aleksiejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171.	
	CH	Angell, C.A., Mobile ions in amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717.	Γ
	CI	Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses, Solid state Ionics 136-137 (2000) 1085-1089.	
	ငပ	Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104.	
	CK	Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810	
	CL	Axon Technologies Corporation, Technology Description: <i>Programmable Metalization Cell(PMC)</i> , pp. 1-6 (Pre-May 2000).	
	СМ	Baranovskii, S.D.; Cordes, H., On the conduction mechanism in ionic glasses, J. Chem. Phys. 111 (1999) 7546-7557.	Γ
	CN	Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029.	Γ
	CO	Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag7GeSe5I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455.	
	CP	Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267.	Γ
	CQ	Bernede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag2Se-M, Thin solid films 70 (1980) L1-L4.	
	CR	Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155-160.	
	CS	Bernede, J.C., Switching and silver movements in Ag2Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104.	
	СТ	Bernede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64.	Ī
	CU	Bernede, J.C.; Conan, A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag2Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171.	Ī
$\forall I$	CV	Bernede, J.C. et al., Transition from S- to N-type differential negative resistance in Al-Al2O3-Ag2-xSe1+x thin film structures, Phys.Stat. Sol. (a) 74 (1982) 217-224.	

PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 1449B/PTC)		Complete If Known		
				Application Number	10/010,824 796-11	
11	VFORMATION	I DI	SCLOSURE	Filing Date	July 14, 2003	
5	STATEMENT I	3Y /	APPLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned	
Sheet	7	of	13	Attorney Docket Number	M4065.1006/P1006-A	

βL	CW	Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg4I5, Solid State lonics 70/71 (1994) 72-76.
	СХ	Boolchand, P., The maximum in glass transition temperature (Tg) near x=1/3 in GexSe1-x Glasses, Asian Journal of Physics (2000) 9, 709-72.
	CY	Boolchand, P.; Georgiev, D.G.; Goodman, B., Discovery of the Intermediate Phase in Chalcogenide Glasses, J. Optoelectronics and Advanced Materials, 3 (2001), 703
	CZ	Boolchand, P.; Selvanathan, D.; Wang, Y.; Georgiev, D.G.; Bresser, W.J., Onset of rigidity in steps in chalcogenide glasses, Properties and Applications of Amorphous Materials, M.F. Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132.
	CA1	Boolchand, P.; Enzweiler, R.N.; Tenhover, M., Structural ordering of evaporated amorphous chalcogenide alloy films: role of thermal annealing, Diffusion and Defect Data Vol. 53-54 (1987) 415-420.
	CB1	Boolchand, P.; Grothaus, J.; Bresser, W.J.; Suranyi, P., Structural origin of broken chemical order in a GeSe2 glass, Phys. Rev. B 25 (1982) 2975-2978.
	CC1	Boolchand, P.; Grothaus, J.; Phillips, J.C., Broken chemical order and phase separation in GexSe1-x glasses, Solid state comm. 45 (1983) 183-185.
	CD1	Boolchand, P., Bresser, W.J., Compositional trends in glass transition temperature (Tg), network connectivity and nanoscale chemical phase separation in chalcogenides, Dept. of ECECS, Univ. Cincinnati (October 28, 1999) 45221-0030.
	CE1	Boolchand, P.; Grothaus, J, Molecular Structure of Melt-Quenched GeSe2 and GeS2 glasses compared, Proc. Int. Conf. Phys. Semicond. (Eds. Chadi and Harrison) 17 th (1985) 833-36.
	CF1	Bresser, W.; Boolchand, P.; Suranyi, P., Rigidity percolation and molecular clustering in network glasses, Phys. Rev. Lett. 56 (1986) 2493-2496.
	CG1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; de Neufville, J.P, Intrinsically broken chalcogen chemical order in stoichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196.
	CH1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; Hernandez, J.G., Molecular phase separation and cluster size in GeSe2 glass, Hyperfine Interactions 27 (1986) 389-392.
	CI1	Cahen, D.; Gilet, JM.; Schmitz, C.; Chernyak, L.; Gartsman, K.; Jakubowicz, A., Room- Temperature, electric field induced creation of stable devices in CuinSe2 Crystals, Science 258 (1992) 271-274.
	CJ1	Chatterjee, R.; Asokan, S.; Titus, S.S.K., Current-controlled negative-resistance behavior and memory switching in bulk As-Te-Se glasses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627.
	CK1	Chen, C.H.; Tai, K.L., Whisker growth induced by Ag photodoping in glassy GexSe1-x films, Appl. Phys. Lett. 37 (1980) 1075-1077.
	CL1	Chen, G.; Cheng, J., Role of nitrogen in the crystallization of silicon nitride-doped chalcogenide glasses, J. Am. Ceram. Soc. 82 (1999) 2934-2936.
	CM1	Chen, G.; Cheng, J.; Chen, W., Effect of Si3N4 on chemical durability of chalcogenide glass, J. Non-Cryst. Solids 220 (1997) 249-253.
	CN1	Cohen, M.H.; Neale, R.G.; Paskin, A., A model for an amorphous semiconductor memory device, J. Non-Cryst. Solids 8-10 (1972) 885-891.
	CO1	Croitoru, N.; Lazarescu, M.; Popescu, C.; Telnic, M.; and Vescan, L., Ohmic and non-ohmic conduction in some amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 781-786.
	CP1	Dalven, R.; Gill, R., Electrical properties of beta-Ag2Te and beta-Ag2Se from 4.2 to 300K, J. Appl. Phys. 38 (1967) 753-756.
	CQ1	Davis, E.A., Semiconductors without form, Search 1 (1970) 152-155.
	CR1	Deamaley, G.; Stoneham, A.M.; Morgan, D.V., Electrical phenomena in amorphous oxide films, Rep. Prog. Phys. 33 (1970) 1129-1191.
	CS1	Dejus, R.J.; Susman, S.; Volin, K.J.; Montague, D.G.; Price, D.L., Structure of Vitreous Ag-Ge-Se, J. Non-Cryst. Solids 143 (1992) 162-180.
$\sqrt{}$	CT1	den Boer, W., Threshold switching in hydrogenated amorphous silicon, Appl. Phys. Lett. 40 (1982) 812-813.

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.0MB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE cond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 1449B	/PTO		Complete if Known		
-				Application Number	10/618,824 796-111	
11	NFORMATI	ON DISC	CLOSURE	Filing Date	July 14, 2003	
S	STATEMEN	T BY AP	PLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
	(use as man	y sheets as nec	essary)	Examiner Name	Not Yet Assigned	
Sheet	8	of .	13	Attorney Docket Number	M4065.1006/P1006-A	

CU1 Drusedau, T.P.; Panckow, A.N.; Klabunde, F., The hydrogenated amorphous silicon/nanodisperse metal (SIMAL) system-Films of unique electronic properties, J. Nor Cryst. Solids 198-200 (1996) 829-832. CV1 El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag2-xSe1+x/n-Si diodes, This Films 110 (1983) 107-113. CW1 El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous Gex photoconductivity, J. Non-Cryst. Solids 155 (1993) 171-179.	n Solid
silicon/nanodisperse metal (SIMAL) system-Films of unique electronic properties, J. Nor Cryst. Solids 198-200 (1996) 829-832. CV1 El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag2-xSe1+x/n-Si diodes, This Films 110 (1983) 107-113. CW1 El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous Ge	n Solid
CV1 El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag2-xSe1+x/n-Si diodes, Thin Films 110 (1983) 107-113. CW1 El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous Ge	
Films 110 (1983) 107-113. CW1 El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous Ge	
1 1 1X DHULUCUIULCUVILY, J. NOHECTVSL SURUS (33 (1883) 17 (*178).	xSe1-
CX1 El Ghrandi, R.; Calas, J.; Galibert, G.; Averous, M., Silver photodissolution in amorphou chaicogenide thin films, Thin Solid Films 218 (1992)259-273.	s
CY1 El Ghrandi, R.; Calas, J.; Galibert, G., Ag dissolution kinetics in amorphous GeSe5.5 thi from "in-situ" resistance measurements vs time, Phys. Stat. Sol. (a) 123 (1991) 451-460	n films
CZ1 El-kady, Y.L., The threshold switching in semiconducting glass Ge21Se17Te62, Indian . Phys. 70A (1996) 507-516.).
CA2 Elliott, S.R., A unified mechanism for metal photodissolution in amorphous chalcogenide materials, J. Non-Cryst. Solids 130 (1991) 85-97.	
CB2 Elliott, S.R., Photodissolution of metals in chalcogenide glasses: A unified mechanism, Non-Cryst. Solids 137-138 (1991) 1031-1034.	
CC2 Elsamanoudy, M.M.; Hegab, N.A.; Fadel, M., Conduction mechanism in the pre-switchin state of thin films containing Te As Ge Si, Vacuum 46 (1995) 701-707.	_
CD2 El-Zahed, H.; El-Korashy, A., Influence of composition on the electrical and optical proposition of Ge20BixSe80-x films, Thin Solid Films 376 (2000) 236-240.	erties
CE2 Fadel, M., Switching phenomenon in evaporated Se-Ge-As thin films of amorphous chalcogenide glass, Vacuum 44 (1993) 851-855.	
CF2 Fadel, M.; El-Shair, H.T., Electrical, thermal and optical properties of Se75Ge7Sb18, Va 43 (1992) 253-257.	cuum
CG2 Feng, X. ;Bresser, W.J.; Boolchand, P., Direct evidence for stiffness threshold in Chalco glasses, Phys. Rev. Lett. 78 (1997) 4422-4425.	genide
CH2 Feng, X.; Bresser, W.J.; Zhang, M.; Goodman, B.; Boolchand, P., Role of network connuon the elastic, plastic and thermal behavior of covalent glasses, J. Non-Cryst. Solids 223 (1997) 137-143.	ectivity ?
Cl2 Fischer-Colbrie, A.; Bienenstock, A.; Fuoss, P.H.; Marcus, M.A., Structure and bonding photodiffused amorphous Ag-GeSe2 thin films, Phys. Rev. B 38 (1988) 12388-12403.	n
CJ2 Fleury, G.; Hamou, A.; Viger, C.; Vautier, C., Conductivity and crystallization of amorpho selenium, Phys. Stat. Sol. (a) 64 (1981) 311-316.	us
CK2 Fritzsche, H, Optical and electrical energy gaps in amorphous semiconductors, J. Non-C Solids 6 (1971) 49-71.	ryst.
CL2 Fritzsche, H., Electronic phenomena in amorphous semiconductors, Annual Review of Materials Science 2 (1972) 697-744.	
CM2 Gates, B.; Wu, Y.; Yin, Y.; Yang, P.; Xla, Y., Single-crystalline nanowires of Ag2Se can I synthesized by templating against nanowires of trigonal Se, J. Am. Chem. Soc. (2001) currently ASAP.	ре
CN2 Gosain, D.P.; Nakamura, M.; Shimizu, T.; Suzuki, M.; Okano, S., Nonvolatile memory be on reversible phase transition phenomena in telluride glasses, Jap. J. Appl. Phys. 28 (19 1013-1018.	189)
CO2 Guin, JP.; Rouxel, T.; Keryvin, V.; Sangleboeuf, JC.; Serre, I.; Lucas, J., Indentation of Ge-Se chalcogenide glasses below Tg: elastic recovery and non-Newtonian flow, J. N. Cryst. Solids 298 (2002) 260-269.	Non-
CP2 Guin, JP.; Rouxel, T.; Sangleboeuf, JC; Melscoet, I.; Lucas, J., Hardness, toughness, scratchability of germanium-selenium chalcogenide glasses, J. Am. Ceram. Soc. 85 (200 1545-52.	02)
CQ2 Gupta, Y.P., On electrical switching and memory effects in amorphous chalcogenides, J.	Non-

PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 1449B	/PTO		Complete if Known		
•				Application Number	10/618,824 796-111	
11	NFORMATION	ON DISC	CLOSURE	Filing Date	July 14, 2003	
S	STATEMEN	T BY AP	PLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
	(use as man	y sheets as ned	essary)	Examiner Name	Not Yet Assigned	
Sheet	9	of	13	Attorney Docket Number	M4065.1006/P1006-A	

Cryst. Sol. 3 (1970) 148-154. CR2 Habbrand, D.R.; Stiegler, H., New experiments on the charge-controlled switching effect in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 408-414. CS2 Halfz, M.M.; Ibrahim, M.M.; Dongol, M.; Hammad, F.H.; Effect of composition on the structure and electrical properties of As-Se-Cu glasses, J. Apply. Phys. 54 (1983) 1950-1954. CT2 Halfo, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E.; Quantization effects in metal/a-Si-H-Metal devices, Int. J. Electronics 73 (1992) 911-913. CU2 Halfo, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Si-H-metal devices, Int. J. Electronics 73 (1992) 911-913. CV2 Halfo, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si-H-metal thin film structures, J. Non-Cryst. Solids 268-269 (2000) 1058-1061. CV2 Halfo, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-a-morphous silicon structures, Phil. Mag. B 63 (1991) 349-369. CX2 Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. CY2 Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. CZ2 Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 Submicron Limography, pp. 24-29 (1982). Hill, Dissertation: Marientals characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CB3 Holm, S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 216 (1990) 191-200. CG3 Hosokawa, S., Atomic and elec	Stiect		<u> </u>	<u> </u>	13	Attorney Cocket Number	1014003.1000/F 1000-A				
CR2 Haberland, D.R.; Silegler, H., New experiments on the charge-controlled switching effect in amorphous semiconductors. J. Non-Cryst. Solids 8-10 (1972) 408-414. CS2 Halfz, M.M.; Ibrahim, M.M.; Dongol, M.; Hammad, F.H., Effect of composition on the structure and electrical properties of As-Se-Cu glasses, J. Apply. Phys. 54 (1983) 1950-1954. CT2 Haljo, J.; Rose, M.J.; Osbome, I.S.; Shell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913. CU2 Haljo, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M. D. Cand AC measurements on metal/a-Si:H/metal grom temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061. CV2 Haljo, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828. CW2 Haljo, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369. CX2 Hayash, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. CY2 Heyash, N.A.; Faddel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. CZ2 Helibert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 SubmcRon LITHOGRAPHY, pp. 24-29 (1982). CA3 Hill, DISSERTATION: Materials cheracterization of Silver Chalcogenide Programmable. Metalization Chalcogenide Semiconductors, Vacuum 45 (1994) 459-462. CC3 Holibert et al., Intraleval hybrid resist process with submicron capability, SPIE Vol. 333 SubmcRon LITHOGRAPHY, pp. 24-29 (1982). CA3 Hill, DISSERTATION: Materials cheracterization of Silver Chalcogenide Glass Systems, 62 J. AMER. CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CC3 Holy, J.; Shell, A.		7	Cryst. Sol.	3 (1970) 1	48-154.			Т			
CS2 Halfz, M.M.; Ibrahim, M.M.; Dongol, M.; Hammad, F.H., Effect of composition on the structure and electrical properties of As-Se-Cu glasses, J. Apply. Phys. 54 (1983) 1950-1954. CT2 Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913. CU2 Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., D.C and AC measurements on metal/a-Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061. CV2 Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828. CW2 Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-a-morphous silicon structures, Phil. Mag. B 63 (1991) 349-369. CX2 Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. CY2 Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 Submicron Litrioora. Metalization Collis, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsonic Chalcogenide Programmable. Metalization Collis, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in Il-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CO3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CC3 Hu, J.; Snell, A.J.; Hejto, J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hyd		CR2	Haberland	, D.R.; Stie	gler, H., New expe			\top			
and electrical properties of As-Se-Cu glasses, J. Apply. Phys. 54 (1983) 1950-1954. CT2 Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si-H/metal devices, Int. J. Electronics 73 (1992) 911-913. CU2 Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Si:H/metal room temperature quantized resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061. CV2 Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828. CW2 Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369. CX2 Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. CY2 Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. Helbert et al., Intralevel rhybrid resist process with submicron capability, SPIE Vol. 333 Submicron Limitography, pp. 24-28 (1982). CA3 Hilt, DISSERTATION: Materials characterization of Silver Chalcogenide Programmable. Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Roaction and Diffusion in Silver-Arsonic Chalcogenide Glass Systems, 62 J. AMER. CERM. Soc., No. 34, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in III-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, Phil. Mag. B 80 (2000) 29-43.	PL.		amorphou	s semicond	luctors, J. Non-Cr	st. Solids 8-10 (1972)) 408-414.				
CT2 Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Sit-Himetal devices, Int. J. Electronics 73 (1992) 911-913. CU2 Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Sit-Himetal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061. CV2 Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Sit-H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828. CW2 Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369. CX2 Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. CY2 Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. CZ2 Helbert et al., Intralevel hybrid resist process with submicron capability. SPIE Vol. 333 Submicron LTHOGRAPH, pp. 24-26 (1982). CA3 Hilt, DISSERTATION: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Roaction and Diffusion in Silver-Assonic Chalcogenide Glass Systems, 62 J. AMER. CERM. Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CH3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E.; Rose, M.J., Capacitance enomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E.; Rose, M.J., Capacitance enomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-fi	1,	CS2									
effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913.			and electri	cal properti	es of As-Se-Cu gi	asses, J. Apply. Phys	. 54 (1983) 1950-1954.	4			
Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061. CV2 Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828. CW2 Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369. CX2 Hayoshi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. CY2 Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. CZ2 Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 Submicron Limitography, pp. 24-29 (1982). CA3 Hilt, Disserration: Materials characterization of Silver Chalcogenide Programmable. Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. Amer. Ceram. Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 192-14. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Crip+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Crip+a-/Si:H/V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive semiconducting glasses As-1e-6g. Solid State Comm. 8 (1970) 153-155. CI3 Ishikawa, R.; Kikuch		СТ2									
(2000) 1058-1061. CV2 Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828. CW2 Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369. CX2 Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. CY2 Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. CZ2 Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 Susmicron Littlographyr, pp. 24-29 (1982). CA3 Hilt, Dissertation: Materials characterization of Silver Chalcogenide Programmable. Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM, Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in Il-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E.; Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B 80 (2000) 29-43. Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ishikawa, R.; Kikuchi, M.; Tanaka, K., Elec	1	CU2	Hajto, J.; F	lu, J.; Snel	l, A.J.; Turvey, K.;	Rose, M., DC and AC	measurements on metal/a-	7			
resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828. CW2 Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369. CX2 Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. CY2 Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. CZ2 Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 Submicron Littlographry, pp. 24-29 (1982). CA3 Hilt, Dissertation: Materials characterization of Silver Chalcogenide Programmable. Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arisenic Chalcogenide Glass Systems, 62 J. AMER. CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in Il-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 272-230 (1998) 1187-1191. CF3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 80 (2000) 29-43. CH3 Hugget et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6. 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ishikawa, R.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155.			(2000) 105	8-1061.	•		• • • • • • • • • • • • • • • • • • • •				
CW2 Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369. CX2 Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. CY2 Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. CZ2 Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 SUBMICRON LITHOGRAPHY, pp. 24-29 (1982). CA3 Hilt, Dissertation: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E., Current-Induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF8, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ishikawa, R.; Kikuchi, M., Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1081-1086. CK		CV2	Hajto, J.; N	AcAuley, B.	; Snell, A.J.; Owe	n, A.E., Theory of rooi	m temperature quantized	Т			
ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369. CX2 Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. CY2 Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. CZ2 Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 Submicron Litriography, pp. 24-29 (1982). CA3 Hilt, Disserration: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. Amer. Ceram. Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-144. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Snell, A.J.; Owen, A.E., Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1988). CI3 Ilzima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia					netal-a-Si:H-metal	thin film structures, J	. Non-Cryst. Solids 198-200				
CX2 Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. CY2 Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. CZ2 Helbert et al., <i>Intralevel hybrid resist process with submicron capability</i> , SPIE Vol. 333 SUBMICRON LITHOGRAPHY, pp. 24-29 (1982). CA3 Hilt, DISSERTATION: <i>Materials characterization of Silver Chalcogenide Programmable Metalization Cells</i> , Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., <i>Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems</i> , 62 J. AMER. CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E.; Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous SI-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B. 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzima, S.; Sugl, M.; Kikuchi, M., Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge253, J. Non-Cryst. Solids 26		CW2						T			
CY2 Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. CZ2 Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 SUBMICRON LITHOGRAPHY, pp. 24-29 (1982). CA3 Hill, Disserration: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B. 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M. Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cr			369.								
CY2 Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. CZ2 Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 SUBMICRON LITHOGRAPHY, pp. 24-29 (1982). CA3 Hill, DISSERTATION: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM, Soc., No. 34, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E., Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous SI-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6. 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ilsikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. Ishkawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Crys		CX2					switching in amorphous Se film,				
chalcogenide semiconductors, Vacuum 45 (1994) 459-462. CZ2 Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 SUBMICRON LITHOGRAPHY, pp. 24-29 (1982). CA3 Hilt, DISSERTATION: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM, Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomally near the metal- non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability In Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzima, S.; Sugl, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms. J. Non-Cryst. Solids 262 (2000) 135-142. Jones, G.; Collins, R.A., Switching propertie		CY2					omena in thin films of	\top			
CA3 Hilt, DISSERTATION: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metalnon-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability In Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). Cl3 Ilzima, S.; Sugl, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovollaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joulie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. St								L			
CA3 Hilt, DISSERTATION: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979). Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous SI-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability In Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joulie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat.	- 1	CZ2	Helbert et	al., <i>Intralev</i>	el hybrid resist pro	cess with submicron	capability, SPIE Vol. 333				
Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979). Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability In Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzlma, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joulie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.		1010	SUBMICRON	LITHOGRAF	чт, pp. 24-29 (19	82).		1			
Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999). CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joulie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.	- 1	CA3			aterials characteriz	zation of Silver Chalco	genide Programmable	1			
 CB3 Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CCRAM. Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E., Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109. 	- 1				laireacht an Title		·· M-·· 4000\	1			
CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979). CC3 Hong, K.S.; Speyer, R.F., Switching behavlor In II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzlma, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.	-	CB3	Holmoulst e	tal Reaction	oniversity, pp. Title	i page-114 (UMI Com	pany, May 1999).	+			
CC3 Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability In Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzlma, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.	\	000	CERAM. SOC	., No. 3-4, p	p. 183-188 (March-A	pril 1979).	ue Glass Systems, 62 J. AMER.	1			
CD3 Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability In Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilizlma, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L.15-L18. CM3 Joulie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.	T	CC3	Hong, K.S.	; Speyer, F	R.F., Switching bel	navior in II-IV-V2 amo	rphous semiconductor systems,	╅			
threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability In Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.		ļ	J. Non-Cry	st. Solids 1	16 (1990) 191-20	0	<u> </u>				
 CE3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109. 		CD3	Hosokawa	, S., Atomic	and electronic st	ructures of glassy Ge	xSe1-x around the stiffness	Т			
devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). Cl3 Ilzima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.	_	1050	threshold o	omposition	, J. Optoelectronic	cs and Advanced Mate	erials 3 (2001) 199-214.	┸			
 CF3 Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability In Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). CI3 Ilzlma, S.; Sugl, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109. 	1	CE3	Hu, J.; Sne	ell, A.J.; Haj	ito, J.; Owen, A.E.	, Constant current for	ming in Cr/p+a-/Si:H/V thin film				
non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). Cl3 Ilzima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.	-	052	devices, J.	Non-Cryst	Solids 227-230 (1998) 1187-1191.		┸			
CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). Cl3 Ilzima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.	ì	CF3	non-metal	transition in	, A.J.; Owen, A.E.	; Rose, M.J., Capacita	ance anomaly near the metal-				
CG3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-Induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). Cl3 Ilizima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.	- 1	1	(1996) 37-		r Ci-riyarogenated	amorphous 31-v thin	-iiim devices, Phii. Mag. B. 74				
CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). Cl3 Ilzlma, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.		CG3			to. J.: Owen, A.F.	Current-induced inst	ability in Cr-n+a-Si·H-V thin film	╁			
CH3 Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). Cl3 Ilzima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.	- 1					, Dancik-Maaoca Mat	ability in Or-pra-oline v unit initi				
sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983). Cl3 lizima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 lshikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 lyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.		СНЗ	Huggett et	al., Develo	pment of silver se	nsitized germanium se	elenide photoresist by reactive	十			
Cl3 Ilizima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.			sputter etcl	<u>hing in SF6</u>	i, 42 Appl. Phys. L	ett., No. 7, pp. 592-59	94 (April 1983).				
Semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. CJ3	-T	CI3	lizima, S.;	Sugi, M.; K	ikuchi, M.; Tanaka	, K., Electrical and the	ermal properties of	\top			
CJ3 Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. CK3 Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.		1	semicondu	cting glass	es As-Te-Ge, Soli	d State Comm. 8 (197	70) 153-155.				
CK3 lyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.	1	C13	Ishikawa, F	₹.; Kikuchi,	M., Photovoltaic s	tudy on the photo-ent	nanced diffusion of Ag in	Т			
Clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. CL3		10160	amorphous	films of G	e2S3, J. Non-Crys	t. Solids 35 & 36 (198	30) 1061-1066.				
CL3 Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.		CK3	jyetomi, H.	; vasnishta	, P.; Kalia, R.K., I	ncipient phase separa	tion in Ag/Ge/Se glasses:				
Solid Films 40 (1977) L15-L18. CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.	-+	C1 2	clustering of	or Ag atoms	s, J. Non-Cryst. Sc	olids 262 (2000) 135-1	42.	1			
CM3 Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.		CL3				enies of thin selenium	tilms under pulsed blas, Thin	1			
switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.		CM3				lectrical conduction of	amombous As25s7 hofers	+			
CN3 Joullie, A.M.; Marucchi, J., Electrical properties of the amorphous alloy As2Se5. Mat. Res	_,		switching.	Phys. Stat.	Sol. (a) 13 (1972)	K105-K109.	amorphious Aszber before				
	W	CN3	Joullie, A.M	i.; Marucch	i, J., Electrical pro	perties of the amomh	ous alloy As2Se5 Mat Res	+-			

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0551-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 1449B/PTC)		Complete If Known		
				Application Number	10/018,824 796-111	
11	VFORMATION	N DI	SCLOSURE	Filing Date	July 14, 2003	
9	STATEMENT I	BY A	APPLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
_	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned	
Sheet	10	of	13	Attorney Docket Number	M4065.1006/P1006-A	

		10 Introduction (Introduction)
		Bull. 8 (1973) 433-442.
മി	СОЗ	Kaplan, T.; Adler, D., Electrothermal switching in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 538-543.
	CP3	Kawaguchi et al., Mechanism of photosurface deposition, 164-166 J. Non-Cryst. Solids, pp. 1231-1234 (1993).
	CQ3	Kawaguchi, T.; Maruno, S.; Elliott, S.R., Optical, electrical, and structural properties of amorphous Ag-Ge-S and Ag-Ge-Se films and comparison of photoinduced and thermally induced phenomena of both systems, J. Appl. Phys. 79 (1996) 9096-9104.
	CR3	Kawaguchi, T.; Masui, K., Analysis of change in optical transmission spectra resulting from Ag photodoping in chalcogenide film, Japn. J. Appl. Phys. 26 (1987) 15-21.
	CS3	Kawasaki, M.; Kawamura, J.; Nakamura, Y.; Aniya, M., Ionic conductivity of Agx(GeSe3)1-x (0<=x<=0.571) glasses, Solid state Ionics 123 (1999) 259-269.
	СТЗ	Kluge, G.; Thomas, A.; Klabes, R.; Grotzschel, R., Silver photodiffusion in amorphous GexSe100-x, J. Non-Cryst. Solids 124 (1990) 186-193.
	CU3	Kolobov, A.V., On the origin of p-type conductivity in amorphous chalcogenides, J. Non-Cryst. Solids 198-200 (1996) 728-731.
	CV3	Kolobov, A.V., Lateral diffusion of silver in vitreous chalcogenide films, J. Non-Cryst. Solids 137-138 (1991) 1027-1030.
	CW3	Korkinova, Ts.N.; Andreichin,R.E., Chalcogenide glass polarization and the type of contacts, J. Non-Cryst. Solids 194 (1996) 256-259.
	СХЗ	Kotkata, M.F.; Afif, M.A.; Labib, H.H.; Hegab, N.A.; Abdel-Aziz, M.M., Memory switching in amorphous GeSeTI chalcogenide semiconductor films, Thin Solid Films 240 (1994) 143-146.
	CY3	Kozicki et al., Silver incorporation in thin films of selenium rich Ge-Se glasses, International Congress on Glass, Volume 2, Extended Abstracts, July 2001, pgs. 8-9.
	CZ3	Michael N. Kozicki, 1. Programmable Metallization Cell Technology Description, February 18, 2000
	CA4	Michael N. Kozicki, Axon Technologies Corp. and Arizona State University, Presentation to Micron Technology, Inc., April 6, 2000
	CB4	Kozicki et al., Applications of Programmable Resistance Changes In Metal-Doped Chalcogenides, Electrochemical Society Proceedings, Volume 99-13, 1999, pgs. 298-309.
	CC4	Kozicki et al., Nanoscale effects in devices based on chalcogenide solid solutions, Superlattices and Microstructures, Vol. 27, No. 516, 2000, pgs. 485-488.
	CD4	Kozicki et al., Nanoscale phase separation in Ag-Ge-Se glasses, Microelectronic Engineering 63 (2002) pgs 155-159.
	CE4	Lakshminarayan, K.N.; Srivastava, K.K.; Panwar, O.S.; Dumar, A., Amorphous semiconductor devices: memory and switching mechanism, J. Instn Electronics & Telecom. Engrs 27 (1981) 16-19.
	CF4	Lal, M.; Goyal, N., Chemical bond approach to study the memory and threshold switching chalcogenide glasses, Indian Journal of pure & appl. phys. 29 (1991) 303-304.
	CG4	Leimer, F.; Stotzel, H.; Kottwitz, A., Isothermal electrical polarisation of amorphous GeSe films with blocking Al contacts influenced by Poole-Frenkel conduction, Phys. Stat. Sol. (a) 29 (1975) K129-K132.
	CH4	Leung, W.; Cheung, N.; Neureuther, A.R., Photoinduced diffusion of Ag in GexSe1-x glass, Appl. Phys. Lett. 46 (1985) 543-545.
	CI4	Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on Se-SnO2 system, Jap. J. Appl. Phys. 11 (1972) 1657-1662.
	CJ4	Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on amorphous selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606.
	CK4	Mazurier, F.; Levy, M.; Souquet, J.L, Reversible and irreversible electrical switching in TeO2- V2O5 based glasses, Journal de Physique IV 2 (1992) C2-185 - C2-188.
V	CL4	McHardy et al., The dissolution of metals in amorphous chalcogenides and the effects o

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0551-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 1449B/PTC)		Complete if Known		
				Application Number	10/618,824 796-111	
11	VFORMATION	N DI	SCLOSURE	Filing Date	July 14, 2003	
5	STATEMENT	BY /	APPLICANT	First Named Inventor	Terry L. Gilton	
			-	Group Art Unit	N/A	
	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned	
Sheet	11	of	13	Attorney Docket Number	M4065.1006/P1006-A	

Sneet		11	of		3	Attorney Docket Number	M4065.1006/P1006-A	
		electron an	d ultra	violet radia	tion, 20 J. P	hvs. C.: Solid State P	hys., pp. 4055-4075 (1987)f	1
pZ	CM4	Messoussi, M/Se struct	R.; Be	emede, J.C M=Ni,Bi), M	.; Benhida, lat. Chem. /	S.; Abachi, T.; Latef, And Phys. 28 (1991) 2	A., Electrical characterization of 253-258.	
1	CN4 Mitkova, M.; Boolchand, P., Microscopic origin of the glass forming tendency in cha and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21.							
	CO4					oration in Ge-Se glass Solids 299-302 (2002	ses used in programmable) 1023-1027.	
T	CP4	Miyatani, S (1973) 423		ectronic an	d ionic cond	luction in (AgxCu1-x)2	2Se, J. Phys. Soc. Japan 34	
	CQ4	Miyatani, S	y., El	ectrical pro	perties of A	g2Se, J. Phys. Soc. J	apan 13 (1958) 317.	1
	CR4	Miyatani, S (1959) 996	y., lo -1002.	nic conduc	tion in beta-	Ag2Te and beta-Ag25	Se, Journal Phys. Soc. Japan 14	
	CS4	(1968) 1-17	'				ons, J. Non-Cryst. Solids 1	
	CT4	transitions	n chal	cogenide th	nin films, Jpi	n. J. Appl. Phys. 32 (1	atile memory based on phase 993) 564-569.	
	CU4	Nakayama,	K.; Ko memo	ojima, K.; H ry cell base	ayakawa, F ed on revers	; Imai, Y.; Kitagawa,	A.; Śuzuki, M., Submicron n chalcogenide glasses, Jpn. J.	
	CV4	Nang, T.T.; parameters	Okud of Ge	a, M.; Mats xSe1-x am	ushita, T.; Y	okota, S.; Suzuki, A., i films, Jap. J. App. P	Electrical and optical hys. 15 (1976) 849-853.	-
	CW4	Narayanan,	, R.A.;	Asokan, S.	; Kumar, A.	Evidence concerning	g the effect of topology on ev. B 54 (1996) 4413-4415.	1
	CX4	Neale, R.G	.; Asel	line, J.A., T	he applicati	on of amorphous mat 0 (1973) 195-209.	erials to computer memories,	T
	CY4	Ovshinsky	S.R.; F	ritzsche, H	., Reversible	e structural transforma	ations in amorphous ons 2 (1971) 641-645.	T
	CZ4	Ovshinsky, Rev. Lett. 2	S.R.,	Reversible	electrical sv	itching phenomena in	disordered structures, Phys.	1
1	CA5	Owen, A.E.	: LeCo	mber, P.G	: Sarrabayr	ouse, G.; Spear, W.E.	., New amorphous-silicon roc. 129 (1982) 51-54	
T	CB5	Owen, A.E.	; Firth,	A.P.; Ewe	n, P.J.S., Pł	oto-induced structura tors, Phil. Mag. B 52 (I and physico-chemical changes	
	CC5	Owen, A.E.	; Le C	omber, P.G	i.; Hajto, J.; 3 (1992) 897	Rose, M.J.; Snell, A.J	., Switching in amorphous	
	CD5	Owen et al.	, Meta	-Chalcoge	nide Photor	sists for High Resolu	tion Lithography and Sub- . 447-451 (M. Reed ed. 1989).	
1	CE5	Pearson, A. Phys. Lett.	D.; Mi	ller, C.E., F	ilamentary of	conduction in semicor	nducting glass diodes, App.	\dagger
1	CF5	Pinto, R.; R	amana	than, K.V.,	Electric fiel	d induced memory sw nys. Lett. 19 (1971) 23	vitching in thin films of the	
	CG5	Popescu, C	., The	effect of lo	cal non-unif	ormities on thermal sy Solid-state electronics	vitching and high field behavior	1
1	CH5	Popescu, C	.; Croi	oru, N., Th	e contribution	on of the lateral therm 1972) 531-537.	al instability to the switching	
	CI5	Popov, A.I.;	Gelle	, I.KH.; Sh	emetova, V.	K., Memory and thres 44 (1977) K71-K73.	hold switching effects in	
	CJ5	Prakash, S.	; Asok	an, S.; Gha	re, D.B., Ea		ry switching in Ge-As-Te	
V	CK5	Rahman, S. Eng. B12 (1	; Siva	ama Sastr	y, G., Electro	onic switching in Ge-E	Bi-Se-Te glasses, Mat. Sci. and	┢

PTC/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0551-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitu	ute for form 1449B/	PTO		Complete if Known		
		_		Application Number	10/610,024 796-111	
INF	ORMATIC	ON DIS	CLOSURE	Filing Date	July 14, 2003	
STATEMENT BY APPLICANT				First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
	(use as man)	sheets as n	ecessary)	Examiner Name	Not Yet Assigned	
heet	12	of	13	Attorney Docket Number	M4065.1006/P1006-A	

PL	CL5	Ramesh, K.; Asokan, S.; Sangunni, K.S.; Gopal, E.S.R., Electrical Switching in germanium telluride glasses doped with Cu and Ag, Appl. Phys. A 69 (1999) 421-425.					
1	CM5	Rose,M.J.;Hajto,J.;Lecomber,P.G.;Gage,S.M.;Choi,W.K.;Snell,A.J.;Owen,A.E., Amorphous silicon analogue memory devices, J. Non-Cryst. Solids 115 (1989) 168-170.					
	CN5	Rose,M.J.;Snell,A.J.;Lecomber,P.G.;Hajto,J.;Fitzgerald,A.G.;Owen,A.E., Aspects of non-volatility in a -Si:H memory devices, Mat. Res. Soc. Symp. Proc. V 258, 1992, 1075-1080.					
	CO5	Schuocker, D.; Rieder, G., On the reliability of amorphous chalcogenide switching devices, J. Non-Cryst. Solids 29 (1978) 397-407.					
	CP5	Sharma, A.K.; Singh, B., Electrical conductivity measurements of evaporated selenium films in vacuum, Proc. Indian Natn. Sci. Acad. 46, A, (1980) 362-368.					
	CQ5	Sharma, P., Structural, electrical and optical properties of silver selenide films, Ind. J. Of pure and applied phys. 35 (1997) 424-427.					
	CR5	Shimizu et al., The Photo-Erasable Memory Switching Effect of Ag Photo-Doped Chalcogenide Glasses, 46 B. CHEM SOC. JAPAN, No. 12, pp. 3662-3365 (1973).					
	CS5	Snell, A.J.; Lecomber, P.G.; Hajto, J.; Rose, M.J.; Owen, A.E.; Osborne, I.L., Analogue memory effects in metal/a-Si:H/metal memory devices, J. Non-Cryst. Solids 137-138 (1991) 1257-1262.					
	CT5	Snell, A.J.; Hajto, J.;Rose, M.J.; Osborne, L.S.; Holmes, A.; Owen, A.E.; Gibson, R.A.G., Analogue memory effects in metal/a-Si:H/metal thin film structures, Mat. Res. Soc. Symp. Proc. V 297, 1993, 1017-1021.					
- }.	CU5	Steventon, A.G., Microfilaments in amorphous chalcogenide memory devices, J. Phys. D: Appl. Phys. 8 (1975) L120-L122.					
	CV5	Steventon, A.G., The switching mechanisms in amorphous chalcogenide memory devices, J. Non-Cryst. Solids 21 (1976) 319-329.					
	CW5	Stocker, H.J., Bulk and thin film switching and memory effects in semiconducting chalcogenide glasses, App. Phys. Lett. 15 (1969) 55-57.					
	CX5	Tanaka, K., lonic and mixed conductions in Ag photodoping process, Mod. Phys. Lett B 4 (1990) 1373-1377.					
	CY5	Tanaka, K.; lizima, S.; Sugi, M.; Okada, Y.; Kikuchl, M., Thermal effects on switching phenomenon in chalcogenide amorphous semiconductors, Solid State Comm. 8 (1970) 387-389.					
CZ5		Thornburg, D.D., Memory switching in a Type I amorphous chalcogenide, J. Elect. Mat. 2 (1973) 3-15.					
	CA6	Thornburg, D.D., Memory switching in amorphous arsenic triselenide, J. Non-Cryst. Solids 11 (1972) 113-120.					
СВ6		Thornburg, D.D.; White, R.M., Electric field enhanced phase separation and memory switching in amorphous arsenic triselenide, Journal(??) (1972) 4609-4612.					
	CC6	Tichy, L.; Ticha, H., Remark on the glass-forming ability in GexSe1-x and AsxSe1-x systems, J. Non-Cryst. Solids 261 (2000) 277-281.					
	CD6	Titus, S.S.K.; Chatterjee, R.; Asokan, S., Electrical switching and short-range order in As-Te glasses, Phys. Rev. B 48 (1993) 14650-14652.					
	CE6	Tranchant,S.;Peytavin,S.;Ribes,M.;Flank,A.M.;Dexpert,H.;Lagarde,J.P., Silver chalcogenide glasses Ag-Ge-Se: lonic conduction and exafs structural investigation, Transport-structure relations in fast ion and mixed conductors Proceedings of the 6th Riso International symposium. 9-13 September 1985.					
	CF6	Tregouet, Y.; Bernede, J.C., Silver movements in Ag2Te thin films: switching and memory effects, Thin Solid Films 57 (1979) 49-54.					
	CG6	Uemura, O.; Kameda, Y.; Kokai, S.; Satow, T., Thermally induced crystallization of amorphous Ge0.4Se0.6, J. Non-Cryst. Solids 117-118 (1990) 219-221.					
\overline{V}	СН6	Uttecht, R.; Stevenson, H.; Sie, C.H.; Griener, J.D.; Raghavan, K.S., Electric field induced filament formation in As-Te-Ge glass, J. Non-Cryst. Solids 2 (1970) 358-370.					

Complete If Known

10/618,824

PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Number

INFORMATION DISCLOSURE					Filing Date	July 14, 2003		
S	TATE	MENT B	3Y /	APPLICANT	First Named Inventor	Terry L. Gilton		
					Group Art Unit	N/A		
(use as many sheets as necessary)					Examiner Name	Not Yet Assigned		
Sheet 13		of	13	Attorney Docket Number	M4065.1006/P1006-A			
Cl6 Viger, C.; Lefrancois, G.; Fleury, G., And Non-Cryst. Solids 33 (1976) 267-272.				cois, G.; Fleury, G., And s 33 (1976) 267-272.	omalous behaviour of amorphous selenium films, J.			
	C16	Vodenicharov, C.; Parvanov,S.; Petkov,P., Electrode-limited currents in the thin-film M-GeSe-M system, Mat. Chem. And Phys. 21 (1989) 447-454.						
	CK5	Wang, SJ.; Misium, G.R.; Camp, J.C.; Chen, KL.; Tigelaar, H.L., High-performance Metal/silicide antifuse, IEEE electron dev. Lett. 13 (1992)471-472.						
	CL5	App. Phys.	Weirauch, D.F., Threshold switching and thermal filaments in amorphous semiconductors, App. Phys. Lett. 16 (1970) 72-73.					
	См6	West, W.C.; Sieradzki, K.; Kardynal, B.; Kozicki, M.N., Equivalent circuit modeling of the Ag As0.24S0.36Ag0.40 Ag System prepared by photodissolution of Ag, J. Electrochem. Soc. 145 (1998) 2971-2974						
	CN6	multifractal	West, W.C., Electrically erasable non-volatile memory via electrochemical deposition of multifractal aggregates, Ph.D. Dissertation, ASU 1998					
V	CO6	Zhang, M.; Mancini, S.; Bresser, W.; Boolchand, P., Variation of glass transition temperature, Tg, with average coordination number, <m>, in network glasses: evidence of a threshold behavior in the slope dTg/d<m> at the rigidity percolation threshold (<m>=2.4), J. Non-Cryst. Solids 151 (1992) 149-154.</m></m></m>						
						· 		
			-					
				· · · · · · · · · · · · · · · · · · ·				
				7-7-2-				
	+			· . · · · · · · · · · · · · · · · · · ·				
	-	ļ		-,,,				
	+	 	_					
-	+	 						
	 	 	_					
	 							
	$\overline{}$							

Examiner	\	Date 1	
5.4	$N_{12} \sim N_{1}$	Date . (and 1.
l Signature I	+ Ha 11 lav. 1	Considered \O\	321VI
0.9			レベスシ

Substitute for form 1449B/PTO

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique cliation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.